

30th September 2024

Important Product Update

Wockhardt Hypurin® Porcine Reusable Cartridge Pen Availability

(AutoPen Classic supplied by Owen Mumford)

You may be aware that Owen Mumford plan to discontinue their AutoPen Classic reusable, insulin delivery pens which are compatible with our following Hypurin (porcine insulin) products:

- [Hypurin Porcine 30/70 Mix Cartridges - PL 29831/0119](#)
- [Hypurin Porcine Isophane Cartridges - PL 29831/0122](#)
- [Hypurin Porcine Neutral Cartridges - PL 29831/0124](#)



Please note there is no immediate need for patients currently using Autopen Classic insulin pens to change their devices. As specified in the instruction leaflet ‘The Autopen Classic’ can be used for up to two years’ ^[1]

Owen Mumford have indicated an expected date of discontinuation based on current demand of **March 2025**. Both 21 and 42 unit pens are affected.

Wockhardt are taking every step to ensure minimal disruption to patients using Hypurin Porcine Cartridges. Although there is no compatible pen immediately available to order, please be assured that Wockhardt remain committed to keeping Hypurin insulin available for patients and we anticipate a new, Hypurin-compatible pen to be available from Sept/Oct 2025.

Patients can still obtain new Autopen Classics up until March 25, and therefore the short gap in availability should be manageable provided there are no artificial surges in demand.

Details of the pens affected:

Product	Autopen Classic 1 Unit	
Product Code	AN3810	
PIP Code	273-3178	
GTIN	05016189381019	
Expected Date of Discontinuation	March 2025	
Product	Autopen Classic 2 Units	
Product Code	AN3800	
PIP Code	260-3561	
GTIN	05016189380012	
Expected Date of Discontinuation	March 2025	

For pen information and update on supply, please contact Owen Mumford Customer Services Team on 01993 812021 or customerserviceUK@owenmumford.com

For any general enquires on Hypurin Porcine Insulin please call +44 1978 661261 or email enquiries@wockhardt.co.uk

Yours Sincerely

Ravi Limaye
Managing Director

1. Autopen Classic Instructions for Use. Owen Mumford www.owenmumford.com

HP01/24 Sept 24